

1 **ADDENDUM NO 1** (Rev 01/2017)

2 ISSUE DATE: **August 19, 2024**

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

**RE: Biochemistry CALS NMRFAM Lab Renovation  
University of Wisconsin – Madison  
Madison, Wisconsin  
MSN Project No. 0205 2302 / UWSA Project No. A-22-023**

**BID OPENING: MEP – 2:00 pm, August 27, 2024  
GPC – 2:00 pm, September 10, 2024**

**FROM: Aro Eberle Architects  
433 W. Washington Ave, Suite 400  
Madison, WI 53703**

**TO: Prospective Bidders**

This addendum forms a part of the Contract Documents and modifies the original Contract Documents dated **June 19, 2024**, as noted below. Acknowledge receipt of this Addendum by inserting the number and issue date of this addendum in the blank space provided on the Bid Form. Failure to do so may subject the Bidder to disqualification.

This Addendum consists of **1** page.

**CHANGES TO SPECIFICATIONS (DIVISIONS 2 THRU 33):**

1. Specification Section 22 30 00 Plumbing Equipment; Page 2, Lines 29 and 30:
  - a. Replace original language with the following:
    - i. Type: Modular pressure swing absorption using carbon molecular sieve media capable of 37 SCFM at 99% nitrogen purity.

**END OF ADDENDUM**

Aro Eberle Architects  
433 W. Washington Ave  
Suite 400  
Madison, WI 53703

The Board of Regents of the  
University of Wisconsin  
1220 Linden Drive  
Madison, WI 53703